The Plant Journal (1999) **19**(6), 749–753

Author index

Aalen, R.B. *see* Stacy, R.A.P.
Ádám, A.L. *see* Rauscher, M.
Adé, J. and Belzile, F.J. Hairpin *elements, the first family of foldback transposons (FTs) in* Arabidopsis thaliana 591
Allen, G.J., Kwak, J.M., Chu, S.P., Llopis, J., Tsien, R.Y., Harper, J.F. and Schroeder, J.I. *Cameleon calcium indicator reports cytoplasmic calcium dynamics in* Arabidopsis *guard cells* 735
Allona, I. *see* del Pozo, J.C.
Aragoncillo, C. *see* del Pozo, J.C.
Asada, M. *see* Hobo, T.
Asselin, A. *see* Grenier, J.
Avni, A. *see* Hanania, U.

Bailey-Serres, J. *see* Manjunath, S.
Baker, R.A. *see* Fischer, A.M.
Baluška, F., Šamaj, J., Napier, R. and Volkmann, D. *Maize calreticulin localizes preferentially to plasmodesmata in root apex* 481
Baluška, F. *see* Reichelt, S.
Barbier-Brygoo, H. *see* Cazalé, A.-C.
Barri-Rewell, G. *see* Brugliera, F.
Bassham, D.C. and Raikhel, N.V. *The pre-vacuolar t-SNARE AtPEP12p forms a 20S complex that dissociates in the presence of ATP* 599
Batschauer, A. *see* Kleiner, O.
Bechtold, N. *see* Devic, M.
Beck, A. *see* Eibl, C.
Belzile, F.J. *see* Adé, J.
Bensaude, E. *see* Devic, M.
Bevan, M. *see* Conlan, R.S.
Bhatt, A.M., Lister, C., Page, T., Fransz, P., Findlay, K., Jones, G.H., Dickinson, H.G. and Dean, C. *The* DIF1 *gene of* Arabidopsis *is required for meiotic chromosome segregation and belongs to the* REC8/RAD21 *cohesin gene family* 463
Blatt, M.R., Grabov, A., Brearley, J., Hammond-Kosack, K. and Jones, J.D.G. *K^+ channels of* Cf-9 *transgenic tobacco guard cells as targets for* Cladosporium fulvum Avr9 *elicitor-dependent signal transduction* 453
Bogaerts, P. *see* Moriau, L.
Böhner, S., Lenk, I., Rieping, M., Herold, M. and Gatz, C. *Transcriptional activator TGV mediates dexamethasone-inducible and tetracycline-inactivatable gene expression* 87
Börner, T. *see* Hedtke, B.
Bourquin, V. *see* Regan, S.
Boutry, M. *see* Moriau, L.
Brandle, J.E. *see* Richman, A.S.
Brearley, J. *see* Blatt, M.R.
Broekaert, W.F. *see* Thomma, B.P.H.J.
Brugliera, F., Barri-Rewell, G., Holton, T.A. and Mason, J.G. *Isolation and characterization of a flavonoid 3′-hydroxylase cDNA clone corresponding to the* Ht1 *locus of* Petunia hybrida 441
Büttner, D. *see* Ehlting, J.

Caboche, M. *see* Goshima, N.
Cárdenas, L., Feijó, J.A., Kunkel, J.G., Sánchez, F., Holdaway-Clarke, T., Hepler, P.K. and Quinto, C. Rhizobium *Nod factors induce increases in intracellular free calcium and extracellular calcium influxes in bean root hairs* 347
Cazalé, A.-C., Droillard, M.-J., Wilson, C., Heberle-Bors, E., Barbier-Brygoo, H. and Laurière, C. *MAP kinase activation by hypoosmotic stress of tobacco cell suspensions: towards the oxidative burst response?* 297
Cercós, M., Gómez-Cadenas, A. and Ho, T.-H.D. *Hormonal regulation of a cysteine proteinase gene,* EPB-1, *in barley aleurone layers: cis- and trans-acting elements involved in the co-ordinated gene expression regulated by gibberellins and abscisic acid* 107
Chaubet-Gigot, N. *see* Espunya, M.C.
Chen, W. and Singh, K.B. *The auxin, hydrogen peroxide and salicylic acid induced expression of the Arabidopsis* GST6 *promoter is mediated in part by an ocs element* 667
Chen, Z. *see* Roche, D.
Chengappa, S. *see* Edwards, M.E.
Cheong, H. *see* Johnson, E.T.
Chin, H.G., Choe, M.S., Lee, S.-H., Park, S.H., Park, S.H., Koo, J.C., Kim, N.Y., Lee, J.J., Oh, B.G., Yi, G.H., Kim, S.C., Choi, H.C., Cho, M.J. and Han, C.-d. *Molecular analysis of rice plants harboring an* Ac/Ds *transposable element-mediated gene trapping system* 615
Cho, M.J. *see* Chin, H.G.
Choe, M.S. *see* Chin, H.G.
Choi, G. *see* Johnson, E.T.
Choi, H.C. *see* Chin, H.G.
Chu, S.P. *see* Allen, G.J.
Combettes, B. *see* Espunya, M.C.
Cong, P. *see* Roche, D.
Conlan, R.S., Hammond-Kosack, M. and Bevan, M. *Transcription activation mediated by the bZIP factor SPA on the endosperm box is modulated by ESBF-1* in vitro 173
Coombe, B.G. *see* Gray, J.D.
Crawford, R.M. *see* Sugden, C.
Creely, W. *see* Ye, G.-N.
Culiáñez-Macià, F.A. *see* Stacy, R.A.P.

de la Peña, A. *see* del Pozo, J.C.
Dean, C. *see* Bhatt, A.M.
Debeaujon, I. *see* Devic, M.
Deising, H.B. *see* Rauscher, M.
Deiting, U. *see* Geigenberger, P.
del Pozo, J.C., Allona, I., Rubio, V., Leyva, A., de la Peña, A., Aragoncillo, C. and Paz-Ares, J. *A type 5 acid phosphatase gene from* Arabidopsis thaliana *is induced by phosphate starvation and by some other types of phosphate mobilising/oxidative stress conditions* 579
Delseny, M. *see* Devic, M.
Devic, M., Guilleminot, J., Debeaujon, I., Bechtold, N., Bensaude, E., Koornneef, M., Pelletier, G. and Delseny, M. *The* BANYULS *gene encodes a DFR-like protein and is a marker of early seed coat development* 387
Dickinson, H.G. *see* Bhatt, A.M.
Dickson, C.A. *see* Edwards, M.E.
Dot, J. *see* Espunya, M.C.
Douglas, C.J. *see* Ehlting, J.
Drager, R.G., Higgs, D.C., Kindle, K.L. and Stern, D.B. *5′ to 3′ exoribonucleolytic activity is a normal component of chloroplast mRNA decay pathways* 521
Droillard, M.-J. *see* Cazalé, A.-C.
Dubbs, W.E. *see* Fischer, A.M.
Duong, H. *see* Guo, H.

© 1999 Blackwell Science Ltd

Edwards, M.E., Dickson, C.A., Chengappa, S., Sidebottom, C., Gidley, M.J. and Reid, J.S.G. *Molecular characterisation of a membrane-bound galactosyltransferase of plant cell wall matrix polysaccharide biosynthesis* 691
Eggermont, K. *see* Thomma, B.P.H.J.
Ehlting, J., Büttner, D., Wang, Q., Douglas, C.J., Somssich, I.E. and Kombrink, E. *Three 4-coumarate:coenzyme A ligases in* Arabidopsis thaliana *represent two evolutionarily divergent classes in angiosperms* 9
Eibl, C., Zou, Z., Beck, A., Kim, M., Mullet, J. and Koop, H.-U. In vivo *analysis of plastid* psb*A*, rbc*L* and rpl*32 UTR elements by chloroplast transformation: tobacco plastid gene expression is controlled by modulation of transcript levels and translation efficiency* 333
Elliott, R.C. *see* Lester, D.R.
Ellis, T.H.N *see* Pearce, S.R.
Engler, D. *see* Hanson, B.
Enoki, H., Izawa, T., Kawahara, M., Komatsu, M., Koh, S., Kyozuka, J. and Shimamoto, K. Ac *as a tool for the functional genomics of rice* 605
Espunya, M.C., Combettes, B., Dot, J., Chaubet-Gigot, N. and Martínez, M.C. *Cell-cycle modulation of CK2 activity in tobacco BY-2 cells* 655

Feijó, J.A. *see* Cárdenas, L.
Findlay, K. *see* Bhatt, A.M.
Fischer, A.M., Dubbs, W.E., Baker, R.A., Fuller, M.A., Stephenson, L.C. and Grimes, H.D. *Protein dynamics, activity and cellular localization of soybean lipoxygenases indicate distinct functional roles for individual isoforms* 543
Flavell, A.J. *see* Pearce, S.R.
Fransz, P. *see* Bhatt, A.M.
Freeling, M. *see* Walsh, J.
Fuhrmann, M., Oertel, W. and Hegemann, P. *A synthetic gene coding for the green fluorescent protein (GFP) is a versatile reporter in* Chlamydomonas reinhardtii 353
Fuller, M.A. *see* Fischer, A.M.
Furman-Matarasso, N. *see* Hanania, U.

Gahrtz, M. *see* Stadler, R.
Gaikwad, A. *see* Hop, D.V.
Gao, M. and Showalter, A.M. *Yariv reagent treatment induces programmed cell death in* Arabidopsis *cell cultures and implicates arabinogalactan protein involvement* 321
Garin, J. *see* Seigneurin-Berny, D.
Gatz, C. *see* Böhner, S.
Geigenberger, P., Reimholz, R., Deiting, U., Sonnewald, U. and Stitt, M. *Decreased expression of sucrose phosphate synthase strongly inhibits the water stress-induced synthesis of sucrose in growing potato tubers* 119
Gidley, M.J. *see* Edwards, M.E.
Gijzen, M. *see* Richman, A.S.
Glass, A.D.M. *see* Rawat, S.R.
Gómez-Cadenas, A. *see* Cercós, M.
Gonzalez, K. *see* Ye, G.-N.
Goshima, N., Mukai, T., Suemori, M., Takahashi, M., Caboche, M. and Morikawa, H. *Emission of nitrous oxide (N_2O) from transgenic tobacco expressing antisense NiR mRNA* 75
Goulter, K.C. *see* Marcus, J.P.
Grabov, A. *see* Blatt, M.R.
Gray, J.D., Kolesik, P., Høj, P.B. and Coombe, B.G. *Confocal measurement of the three-dimensional size and shape of plant parenchyma cells in a developing fruit tissue* 229
Green, J.L. *see* Marcus, J.P.
Grenier, J., Potvin, C., Trudel, J. and Asselin, A. *Some thaumatin-like proteins hydrolyse polymeric* β-1,3-glucans 473
Grimes, H.D. *see* Fischer, A.M.
Grimm, R. *see* Vogt, T.
Guggenheim, R. *see* Rauscher, M.
Guilfoyle, T.J. *see* Ulmasov, T.
Guilleminot, J. *see* Devic, M.
Guillén, C., Valdés-López, V., Noguez, R., Olivares, J., Rodríguez-Zapata, L.C., Pérez, H., Vidali, L., Villanueva, M.A. and Sánchez, F. *Profilin in* Phaseolus vulgaris *is encoded by two genes (only one expressed in root nodules) but multiple isoforms are generated* in vivo *by phosphorylation on tyrosine residues* 497
Guo, H., Duong, H., Ma, N. and Lin, C. *The Arabidopsis blue light receptor cryptochrome 2 is a nuclear protein regulated by a blue light-dependent post-transcriptional mechanism* 279
Gustine, D.L. *see* Roche, D.
Gutterson, N. *see* Hanson, B.

Hackett, G.R. *see* Roy, S.J.
Hagen, G. *see* Ulmasov, T.
Hajdukiewicz, P.T.J. *see* Sidorov, V.A.
Halford, N.G. *see* Sugden, C.
Hammond-Kosack, K. *see* Blatt, M.R.
Hammond-Kosack, M. *see* Conlan, R.S.
Han, C.-d. *see* Chin, H.G.
Hanania, U., Furman-Matarasso, N., Ron, M. and Avni, A. *Isolation of a novel SUMO protein from tomato that suppresses EIX-induced cell death* 533
Hanna, W.W. *see* Roche, D.
Hanson, B., Engler, D., Moy, Y., Newman, B., Ralston, E. and Gutterson, N. *A simple method to enrich an* Agrobacterium*-transformed population for plants containing only T-DNA sequences* 727
Hara-Nishimura, I. *see* Kinoshita, T.
Hardie, D.G. *see* Sugden, C.
Harper, J.F. *see* Allen, G.J.
Hart, C.A. *see* Martinez, A.
Harter, K. *see* Kleiner, O.
Hattori, T. *see* Hobo, T.
Hayasaka, H. *see* Wang, Z.-X.
Heberle-Bors, E. *see* Cazalé, A.-C.
Hedtke, B., Wagner, I., Börner, T. and Hess, W.R. *Inter-organellar crosstalk in higher plants: impaired chloroplast development affects mitochondrial gene and transcript levels* 635
Hegemann, P. *see* Fuhrmann, M.
Hepler, P.K. *see* Cárdenas, L.
Hepler, P.K. *see* Roy, S.J.
Herold, M. *see* Böhner, S.
Hess, W.R. *see* Hedtke, B.
Higgs, D.C. *see* Drager, R.G.
Hinchee, M. *see* Ye, G.-N.
Hiraiwa, N. *see* Kinoshita, T.
Ho, T.-H.D. *see* Cercós, M.
Hobo, T., Asada, M., Kowyama, Y. and Hattori, T. *ACGT-containing abscisic acid response element (ABRE) and coupling element 3 (CE3) are functionally equivalent* 679
Hodge, T.P. *see* Reichelt, S.
Hoecker, U., Vasil, I.K. and McCarty, D.R. *Signaling from the embryo conditions* Vp1*-mediated repression of* α-amylase genes in the aleurone of developing maize seeds 371
Høj, P.B. *see* Gray, J.D.
Holdaway-Clarke, T. *see* Cárdenas, L.
Holdaway-Clarke, T.L. *see* Roy, S.J.

Holton, T.A. *see* Brugliera, F.
Hop, D.V., Gaikwad, A., Yadav, B.S., Reddy, M.K., Sopory, S. and Mukherjee, S.K. *Suppression of pea nuclear topoisomerase I enzyme activity by pea PCNA* 153

Irish, V.F. *see* Zondlo, S.C.
Ishitani, M. *see* Xiong, L.
Iwamoto, M. *see* Wang, Z.-X.
Izawa, T. *see* Enoki, H.

Jako, C. *see* Zou, J.
Jepson, I. *see* Martinez, A.
Johnson, E.T., Yi, H., Shin, B., Oh, B.-J., Cheong, H. and Choi, G. Cymbidium hybrida *dihydroflavonol 4-reductase does not efficiently reduce dihydrokaempferol to produce orange pelargonidin-type anthocyanins* 81
Jones, G.H. *see* Bhatt, A.M.
Jones, J.D.G. *see* Blatt, M.R.
Joyard, J. *see* Seigneurin-Berny, D.

Kaiser, A. *Cloning and expression of a cDNA encoding homospermidine synthase from* Senecio vulgaris *(Asteraceae) in* Escherichia coli 195
Kaltenbach, M., Schröder, G., Schmelzer, E., Lutz, V. and Schröder, J. *Flavonoid hydroxylase from* Catharanthus roseus*: cDNA, heterologous expression, enzyme properties and cell-type specific expression in plants* 183
Kasten, D. *see* Sidorov, V.A.
Katayose, Y. *see* Wang, Z.-X.
Kaufman, L.S. *see* Marsh III, J.F.
Kawahara, M. *see* Enoki, H.
Keller, R., Springer, F., Renz, A. and Kossmann, J. *Antisense inhibition of the GDP-mannose pyrophosphorylase reduces the ascorbate content in transgenic plants leading to developmental changes during senescence* 131
Kendrick-Jones, J. *see* Reichelt, S.
Kim, M. *see* Eibl, C.
Kim, N.Y. *see* Chin, H.G.
Kim, S.C. *see* Chin, H.G.
Kindle, K.L. *see* Drager, R.G.
Kinoshita, T., Yamada, K., Hiraiwa, N., Kondo, M., Nishimura, M. and Hara-Nishimura, I. *Vacuolar processing enzyme is up-regulated in the lytic vacuoles of vegetative tissues during senescence and under various stressed conditions* 43
Kircher, S. *see* Kleiner, O.
Kleiner, O., Kircher, S., Harter, K. and Batschauer, A. *Nuclear localization of the Arabidopsis blue light receptor cryptochrome 2* 289
Knight, A.E. *see* Reichelt, S.
Knox, M.R. *see* Pearce, S.R.
Koh, S. *see* Enoki, H.
Kolesik, P. *see* Gray, J.D.
Komatsu, M. *see* Enoki, H.
Kombrink, E. *see* Ehlting, J.
Kondo, M. *see* Kinoshita, T.
Koo, J.C. *see* Chin, H.G.
Koop, H.-U. *see* Eibl, C.
Koornneef, M. *see* Devic, M.
Koprek, T., McElroy, D., Louwerse, J., Williams-Carrier, R. and Lemaux, P.G. *Negative selection systems for transgenic barley (*Hordeum vulgare *L.): comparison of bacterial* cod*A- and cytochrome* P450 *gene-mediated selection* 719
Kossmann, J. *see* Keller, R.
Kowyama, Y. *see* Hobo, T.
Kronzucker, H.J. *see* Rawat, S.R.
Kruger, N.J. *see* Runquist, M.
Kumar, A. *see* Pearce, S.R.
Kumar, A. *see* Zou, J.
Kunkel, J.G. *see* Cárdenas, L.
Kunkel, J.G. *see* Roy, S.J.
Kwak, J.M. *see* Allen, G.J.
Kyozuka, J. *see* Enoki, H.

Lambert, L. *see* Moriau, L.
Laurière, C. *see* Cazalé, A.-C.
Lee, H. *see* Xiong, L.
Lee, J.J. *see* Chin, H.G.
Lee, S.-H. *see* Chin, H.G.
Lemaux, P.G. *see* Koprek, T.
Lenk, I. *see* Böhner, S.
Lester, D.R., Ross, J.J., Smith, J.J., Elliott, R.C. and Reid, J.B. *Gibberellin 2-oxidation and the* SLN *gene of* Pisum sativum 65
Leyva, A. *see* del Pozo, J.C.
Lin, C. *see* Guo, H.
Lister, C. *see* Bhatt, A.M.
Llopis, J. *see* Allen, G.J.
Lord, E.M. *see* Roy, S.J.
Louwerse, J. *see* Koprek, T.
Ludevid, D. *see* Monte, E.
Lutz, V. *see* Kaltenbach, M.

Ma, N. *see* Guo, H.
Manjunath, S., Williams, A.J. and Bailey-Serres, J. *Oxygen deprivation stimulates* Ca^{2+}*-mediated phosphorylation of mRNA cap-binding protein eIF4E in maize roots* 21
Manners, J.M. *see* Marcus, J.P.
Marcus, J.P., Green, J.L., Goulter, K.C. and Manners, J.M. *A family of antimicrobial peptides is produced by processing of a 7S globulin protein in* Macadamia integrifolia *kernels* 699
Marsh III, J.F. and Kaufman, L.S. *Cloning and characterization of* PGA1 *and* PGA2*: two G protein* α-subunits from pea that promote growth in the yeast Saccharomyces cerevisiae 237
Martinez, A., Sparks, C., Hart, C.A., Thompson, J. and Jepson, I. *Ecdysone agonist inducible transcription in transgenic tobacco plants* 97
Martinez, M.C. *see* Espunya, M.C.
Mason, J.G. *see* Brugliera, F.
McCarty, D.R. *see* Hoecker, U.
McElroy, D. *see* Koprek, T.
Mendgen, K. *see* Rauscher, M.
Michel, A. *see* Moriau, L.
Michelet, B. *see* Moriau, L.
Monna, L. *see* Wang, Z.-X.
Monte, E., Ludevid, D. and Prat, S. *Leaf C40.4: a carotenoid-associated protein involved in the modulation of photosynthetic efficiency?* 399
Moriau, L., Michelet, B., Bogaerts, P., Lambert, L., Michel, A., Oufattole, M. and Boutry, M. *Expression analysis of two gene subfamilies encoding the plasma membrane* H^+*-ATPase in* Nicotiana plumbaginifolia *reveals the major transport functions of this enzyme* 31
Morikawa, H. *see* Goshima, N.
Moy, Y. *see* Hanson, B.
Mukai, T. *see* Goshima, N.
Mukherjee, S.K. *see* Hop, D.V.
Mullet, J. *see* Eibl, C.

Napier, R. *see* Baluška, F.
Nehra, N.S. *see* Sidorov, V.A.

Nelissen, I. *see* Thomma, B.P.H.J.
Newman, B. *see* Hanson, B.
Nishimura, M. *see* Kinoshita, T.
Noguez, R. *see* Guillén, G.
Nordeng, T.W. *see* Stacy, R.A.P.

Oertel, W. *see* Fuhrmann, M.
Oh, B.G. *see* Chin, H.G.
Oh, B.-J. *see* Johnson, E.T.
Olivares, J. *see* Guillén, G.
Oufattole, M. *see* Moriau, L.
Ozias-Akins, P. *see* Roche, D.

Page, T. *see* Bhatt, A.M.
Pang, S.-Z. *see* Sidorov, V.A.
Pang, S.-Z. *see* Ye, G.-N.
Park, S.H. *see* Chin, H.G.
Paz-Ares, J. *see* del Pozo, J.C.
Pearce, S.R., Stuart-Rogers, C., Knox, M.R., Kumar, A., Ellis, T.H.N and Flavell, A.J. *Rapid isolation of plant Ty1*-copia *group retrotransposon LTR sequences for molecular marker studies* 711
Pelletier, G. *see* Devic, M.
Pérez, H. *see* Guillén, G.
Potvin, C. *see* Grenier, J.
Prat, S. *see* Monte, E.

Quinto, C. *see* Cárdenas, L.

Raikhel, N.V. *see* Bassham, D.C.
Ralston, E. *see* Hanson, B.
Rauscher, M., Ádám, A.L., Wirtz, S., Guggenheim, R., Mendgen, K. and Deising, H.B. *PR-1 protein inhibits the differentiation of rust infection hyphae in leaves of acquired resistant broad bean* 625
Rawat, S.R., Silim, S.N., Kronzucker, H.J., Siddiqi, M.Y. and Glass, A.D.M. AtAMT1 *gene expression and* NH_4^+ *uptake in roots of* Arabidopsis thaliana*: evidence for regulation by root glutamine levels* 143
Reddy, M.K. *see* Hop, D.V.
Regan, S., Bourquin, V., Tuominen, H. and Sundberg, B. *Accurate and high resolution* in situ *hybridization analysis of gene expression in secondary stem tissues* 363
Reichelt, S., Knight, A.E., Hodge, T.P., Baluška, F., Šamaj, J., Volkmann, D. and Kendrick-Jones, J. *Characterization of the unconventional myosin VIII in plant cells and its localization at the post-cytokinetic cell wall* 555
Reid, J.B. *see* Lester, D.R.
Reid, J.S.G. *see* Edwards, M.E.
Reimholz, R. *see* Geigenberger, P.
Renz, A. *see* Keller, R.
Richman, A.S., Gijzen, M., Starratt, A.N., Yang, Z. and Brandle, J.E. *Diterpene synthesis in* Stevia rebaudiana*: recruitment and up-regulation of key enzymes from the gibberellin biosynthetic pathway* 411
Rieping, M. *see* Böhner, S.
Roche, D., Cong, P., Chen, Z., Hanna, W.W., Gustine, D.L., Sherwood, R.T. and Ozias-Akins, P. *An apospory-specific genomic region is conserved between Buffelgrass (*Cenchrus ciliaris *L.) and* Pennisetum squamulatum *Fresen* 203
Rodríguez-Zapata, L.C. *see* Guillén, G.
Rolland, N. *see* Seigneurin-Berny, D.
Ron, M. *see* Hanania, U.
Ross, J.J. *see* Lester, D.R.
Roy, S.J., Holdaway-Clarke, T.L., Hackett, G.R., Kunkel, J.G., Lord, E.M. and Hepler, P.K. *Uncoupling secretion and tip growth in lily pollen tubes: evidence for the role of calcium in exocytosis* 379
Rubio, V. *see* del Pozo, J.C.
Runquist, M. and Kruger, N.J. *Control of gluconeogenesis by isocitrate lyase in endosperm of germinating castor bean seedlings* 423

Šamaj, J. *see* Baluška, F.
Šamaj, J. *see* Reichelt, S.
Sánchez, F. *see* Cárdenas, L.
Sánchez, F. *see* Guillén, G.
Sasaki, T. *see* Wang, Z.-X.
Sauer, N. *see* Stadler, R.
Schmelzer, E. *see* Kaltenbach, M.
Schröder, G. *see* Kaltenbach, M.
Schröder, J. *see* Kaltenbach, M.
Schroeder, J.I. *see* Allen, G.J.
Seigneurin-Berny, D., Rolland, N., Garin, J. and Joyard, J. *Differential extraction of hydrophobic proteins from chloroplast envelope membranes: a subcellular-specific proteomic approach to identify rare intrinsic membrane proteins* 217
Selvaraj, G. *see* Zou, J.
Sherwood, R.T. *see* Roche, D.
Shimamoto, K. *see* Enoki, H.
Shin, B. *see* Johnson, E.T.
Showalter, A.M. *see* Gao, M.
Siddiqi, M.Y. *see* Rawat, S.R.
Sidebottom, C. *see* Edwards, M.E.
Sidorov, V.A., Kasten, D., Pang, S.-Z., Hajdukiewicz, P.T.J., Staub, J.M. and Nehra, N.S. *Stable chloroplast transformation in potato: use of green fluorescent protein as a plastid marker* 209
Silim, S.N. *see* Rawat, S.R.
Singh, K.B. *see* Chen, W.
Smith, J.J. *see* Lester, D.R.
Somssich, I.E. *see* Ehlting, J.
Sonnewald, U. *see* Geigenberger, P.
Sopory, S. *see* Hop, D.V.
Sparks, C. *see* Martinez, A.
Springer, F. *see* Keller, R.
Stacy, R.A.P, Nordeng, T.W., Culiáñez-Macià, F.A. and Aalen, R.B. *The dormancy-related peroxiredoxin anti-oxidant, PER1, is localized to the nucleus of barley embryo and aleurone cells* 1
Stadler, R., Truernit, E., Gahrtz, M. and Sauer, N. *The AtSUC1 sucrose carrier may represent the osmotic driving force for anther dehiscence and pollen tube growth in* Arabidopsis 269
Starratt, A.N. *see* Richman, A.S.
Staub, J.M. *see* Sidorov, V.A.
Stephenson, L.C. *see* Fischer, A.M.
Stern, D.B. *see* Drager, R.G.
Stitt, M. *see* Geigenberger, P.
Stone, D. *see* Ye, G.-N.
Strack, D. *see* Vogt, T.
Stuart-Rogers, C. *see* Pearce, S.R.
Suemori, M. *see* Goshima, N.
Sugden, C., Crawford, R.M., Halford, N.G. and Hardie, D.G. *Regulation of spinach SNF1-related (SnRK1) kinases by protein kinases and phosphatases is associated with phosphorylation of the T loop and is regulated by 5′-AMP* 433

Sundberg, B. *see* Regan, S.
Takahashi, M. *see* Goshima, N.
Taylor, D.C. *see* Zou, J.
Thomma, B.P.H.J., Nelissen, I., Eggermont, K. and Broekaert, W.F. *Deficiency in phytoalexin production causes enhanced susceptibility of* Arabidopsis thaliana *to the fungus* Alternaria brassicicola 163
Thompson, J. *see* Martinez, A.
Trudel, J. *see* Grenier, J.
Truernit, E. *see* Stadler, R.
Tsien, R.Y. *see* Allen, G.J.
Tuominen, H. *see* Regan, S.

Ulmasov, T., Hagen, G. and Guilfoyle, T.J. *Dimerization and DNA binding of auxin response factors* 309

Valdés-López, V. *see* Guillén, G.
Vasil, I.K. *see* Hoecker, U.
Vidali, L. *see* Guillén, G.
Villanueva, M.A. *see* Guillén, G.
Vogt, T., Grimm, R. and Strack, D. *Cloning and expression of a cDNA encoding betanidin 5-0-glucosyltransferase, a betanidin- and flavonoid-specific enzyme with high homology to inducible glucosyltransferases from the Solanaceae* 509
Volkmann, D. *see* Baluška, F.
Volkmann, D. *see* Reichelt, S.

Wagner, I. *see* Hedtke, B.
Walsh, J. and Freeling, M. *The* liguleless2 *gene of maize functions during the transition from the vegetative to the reproductive shoot apex* 489
Wang, Q. *see* Ehlting, J.
Wang, Z.-X., Yano, M., Yamanouchi, U., Iwamoto, M., Monna, L., Hayasaka, H., Katayose, Y. and Sasaki, T. *The* Pib *gene for rice blast resistance belongs to the nucleotide binding and leucine-rich repeat class of plant disease resistance genes* 55
Wei, Y. *see* Zou, J.
Williams, A.J. *see* Manjunath, S.
Williams-Carrier, R. *see* Koprek, T.
Wilson, C. *see* Cazalé, A.-C.
Wirtz, S. *see* Rauscher, M.

Xiong, L., Ishitani, M., Lee, H. and Zhu, J.-K. HOS5 – *a negative regulator of osmotic stress-induced gene expression in* Arabidopsis thaliana 569

Yadav, B.S. *see* Hop, D.V.
Yamada, K. *see* Kinoshita, T.
Yamanouchi, U. *see* Wang, Z.-X.
Yang, Z. *see* Richman, A.S.
Yano, M. *see* Wang, Z.-X.
Ye, G.-N., Stone, D., Pang, S.-Z., Creely, W., Gonzalez, K. and Hinchee, M. Arabidopsis *ovule is the target for* Agrobacterium *in planta vacuum infiltration transformation* 249
Yi, G.H. *see* Chin, H.G.
Yi, H. *see* Johnson, E.T.

Zhu, J.-K. *see* Xiong, L.
Zondlo, S.C. and Irish, V.F. CYP78A5 *encodes a cytochrome P450 that marks the shoot apical meristem boundary in* Arabidopsis 259
Zou, J., Wei, Y., Jako, C., Kumar, A., Selvaraj, G. and Taylor, D.C. *The* Arabidopsis thaliana TAG1 *mutant has a mutation in a diacylglycerol acyltransferase gene* 645
Zou, Z. *see* Eibl, C.

The Plant Journal (1999) **19**(6), 755–758

Subject index

α-galactosyltransferase 691
α-SNAP 599
ABA 679
ABRE 679
abscisic acid 107, 371, 569, 735
Ac/Ds 605, 615
actin 555
AFLP 711
Agrobacterium transformation 727
Agrobacterium 249
aleurone 371
AMP 433
anoxia 21
anther 269
anthocyanins 81, 441
apigenin 297
apomixis 203
apospory 203
Arabidopsis 143, 249, 259, 279, 321, 387, 463, 591, 667
Arabidopsis thaliana 43, 289, 569, 579, 645
Arabidopsis thaliana myosin-ATM1 555
arabinogalactan-protein 321
ascorbate 131
asparaginyl endopeptidase 43
AtAMT1 143
auxin response factors 309

$(\beta\text{-D-Glc})_3$ (Yariv reagent) 379
β-glucuronidase 31
barley aleurone 107
berry development 229
betalains 509
binary vector 727
binding 473
biodiversity 711
biolistics 209
biotechnology 209
blue light 279
blue light receptor (CRY2/PHH1) 289
Botrytis cinerea 163
buffelgrass 203

calcium signalling 347
callose 481
calreticulin 481
camalexin 163
cambium 363
castor bean 423
Catharanthus roseus 183
cell cycle 655
cell growth 655
cell shape 229
cell size 229
cell-type specific expression 183
cereal 719
Chlamydomonas 521
chloroplast envelope 217
CK2 655
Cladosporium plant–pathogen interaction 453
codA 719
cohesin 463
complementary DNA 183
20S complex 599
confocal microscopy 229
(-)-copalyl diphosphate synthase 411
CRY2 279
Cymbidium 81
CYP78A5 259
cysteine proteinase 107
cytochrome b_6/f complex 521
cytochrome C oxidase 635
cytochrome P450 183, 259, 441, 719
cytoplasmic calcium 735

deactivation 65
dehiscence 269
denitrification 75
deoxyhypusine synthase 195
desiccation tolerance 1
dexamethasone 87
diacylglycerol acyltransferase 645
2,6-dichloro-isonicotinic acid 625
dihydroflavonol 4-reductase 81
disease resistance 699
diterpene cyclase 411
DNA binding domain 309
DNA polymerase 153

ecdysone 97
eIF4E 21
eIF-5A 195
eIFiso4E 21
elicitor 533
EMS mutagenesis 645
endoplasmic reticulum 481
endosperm 423
error correction 229
ethylene 163
exocytosis 379
expression analysis 31
expression in *Escherichia coli* 183
extracellular calcium influx 379
extracellular currents 347

flavonoid 3′-hydroxylase 441
flavonoid hydroxylase 183
flavonoids 387, 441
flavonols 509
fluorescence 353
5-fluorouracil 719
flux control coefficient 423
foldback transposons 591
freeze-substitution 363
fungal infection 9
fungal infection structures 625
funiculus 269
futile cycles 119

G protein 237
galactomannan 691
GDP-D-mannose 131

© 1999 Blackwell Science Ltd

GDP-mannose pyrophosphorylase 131
gene 65
gene disruption 605
gene duplication 411
gene expression 569, 635
gene regulation 107
gene trap system 615
genome evolution 711
genomics 605
germination 699
GFP 209, 353, 735
gibberellins 65, 107, 371
glucanase 473
glucocorticoid receptor 87
gluconeogenesis 423
glucosyltransferase 509
glutamine 143
glutathione *S*-transferase 667
glyoxylate cycle 423
Golgi 691
green algae 353
green fluorescent protein (GFP) 289
GST.PCNA 153

H_2O_2 667
Hairpin elements 591
hemicellulose 691
homospermidine synthase 195
Hordeum 635
hydrophobic 217
hydroxyproline-rich 321
hypersensitive response 533

imaging 353
immunolocalization 289
in planta transformation 249
in situ hybridization 363
in vitro transcription 173
in vivo phosphorylation 497
induced resistance 625
inducible 97
inducible gene expression 87
insertional mutagenesis 605
intracellular calcium 379
intrinsic protein 217
isocitrate lyase 423

jasmonate 163

K^+ channel gating 453
(–)-kaurene synthase 411

late embryogenesis-abundant (*lea*) 1
LCR 387
light 237
light harvesting complex II (LHCII) 399
ligule 489
liguleless2 489
lipoxygenase function 543
LTSEM 625

Magnaporthe grisea 55
maize root 481
maize 489
MAP kinase 297
map-based cloning 55
maturation of vacuolar proteins 43
meiosis 463
meristem 259
metallo-proteins 579
mitochondria 635
mitogenic 237
mitosis 555
molecular marker 711
mRNA translation 21
mutant 65, 569
myosin VIII 555

negative selection 719
NH_4^+ transport 143
nitrate 75
nitrite reductase 75
nitrogen metabolism 543
nitrogen partitioning 543
nitrous oxide 75
NLS 1
Nod factor 347
non-photochemical quenching 399
non-T-DNA transfer 727
nuclear localization 289
nucleolus localization 1
nucleotide binding site (NBS) 55
nucleotide sugars 131
nucleus 279

ocs element 667
orchid 81
organic solvent 217
Oryza sativa 55
oscillations 735
osmotic solute efflux 453
osmotic stress 297, 569
osmotin 473
2-oxidation 65
oxidative burst 297
oxidative stress 579
oxido-reductase 387

pad3-1 163
pathogenesis-related 473
PCNA 153
pea 153, 237
pelargonidin 81
peripheral zone 259
permatin 473
Peronospora parasitica 9
Petunia hybrida 441
phase transition 489
Phaseolus vulgaris 347
phenylpropanoid metabolism 9
phleomycin 353
phosphate mobilisation 579
phosphate starvation 579
phospho-tyrosine 497
photoreceptor 279
photosynthesis 521
phylogeny 509, 591
Pib 55

Pichia pastoris 691
Pisum sativum 65
plant 489
plant cell walls 555
plant defence 9, 699
plant disease resistance 55
plant kinases 655
plant transcription factors 173
plasma membrane 321
plasma membrane H^+-ATPase 31
plasmodesmata 481, 555
plasmolysis 481
plastid 333
plastid signal 635
plastid transformation 209
pollen 269
pollen tube 379
polyploidy 203
Populus 363
post-transcriptional control 521
potato 209, 399
profilin isoforms 497
programmed cell death 321
prolamin storage proteins 173
promoter 679
protein (de-)phosphorylation 453
protein kinase antagonist 453
protein kinase 433
protein phosphatase 433
protein phosphorylation 433
proteolysis 279
proteome 217
PR-proteins 625
*psb*A 333
purple acid phosphatases 579
pyrrolizidine alkaloids 195

ratio-imaging 347
*rbc*L 333
REC8 463
receptor 97
recombinant protein 509
recombination 463
regulation 31, 143
reporter gene 31
retrotransposon 711
RH5992 97
Rhizobium etli 347
rhodopsin 353
ribonuclease 521
rice (*Oryza sativa*) 679
rice 605, 615

salicylate 163
salicylic acid 625, 667
secondary metabolism 195
secretory pathway 599
seed development 371, 645
seed protein 699
senescence 43, 131
shoot apical meristem 489
SHOOT MERISTEMLESS 259
signal transduction 21, 237, 533, 569, 735
SNF1 433
SnRK1 433
Solanum tuberosum 119
soybean 543
spermidine 195
SSAP 711
steviol glycoside 411
stomata 735
storage protein 543, 699
substrate specificity 81, 509
sucrose 119
sucrose phosphate synthase 119
sucrose transport 269
sulfonylurea 719

tannins 387
testa 387
tet Repressor 87
tetracycline 87
thaumatin 473
thiol-specific antioxidant (TSA) 1
tip growth 379
tobacco 75, 97, 333
topoisomerase I 153
transcription 635, 679
transformation 333
transgenic 97
transgenic plants 131
transposable elements 591
transposon tagging 615
transposon 463, 605
triacylglycerol 645
Trigonella foenum-graecum 691
t-SNARE 599
tuber (potato) 119
tuberization 399

UTR 333
UV-light irradiation 9

vacuolar processing enzyme 43
vacuole 43, 543, 599
vacuum infiltration 249
vesicle transport 599
vicilin 699
Vitis 229
voltage clamp 453
Vp1 371
VP1 679
VP16 87

water stress 119
wheat/endosperm gene expression 173
wood 363
wounding 9

xanthophylls 399
xylem 363

Yariv reagent 321
yeast 237

THE plant JOURNAL

VOLUME 19

Editors

Thomas Altmann
Dianna Bowles
Jeff Dangl
Jean Dénarié
Jérôme Giraudat
Harry Klee
Maarten Koornneef
Cathie Martin
Gregory Martin
Julian Schroeder
Mark Stitt

Published by Blackwell Science Ltd,
in association with the Society for Experimental Biology

© 1999 Blackwell Science Ltd and the Society for Experimental Biology. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Science Ltd and the Society for Experimental Biology for libraries and other users registered with the Copyright Clearance Centre (CCC) Transactional Reporting Service, provided that the base fee of $14.00 per copy is paid directly to the CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Chief Editor.
0960-7412/99 $14.00.

Published by Blackwell Science Ltd, in association with the Society for Experimental Biology

Blackwell Science Ltd

Osney Mead, Oxford OX2 0EL, UK
25 John Street, London WC1N 2BL, UK
23 Ainslie Place, Edinburgh EH3 6AJ, UK

Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA
Blackwell Science Asia, 54 University Street, Carlton South, Victoria 3053, Australia
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, 10707 Berlin, Germany
Blackwell Science KK, MG-Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Cho-ku, Tokyo 103-0001, Japan
Blackwell Science Ltd, 10 rue Casimir Delavigne, 75006 Paris, France

ISSN 0960-7412

Typeset and printed by Information Press Ltd, Oxford, UK.

Contents

Number 1 July 1999

1 **The dormancy-related peroxiredoxin anti-oxidant, PER1, is localized to the nucleus of barley embryo and aleurone cells.** *R.A.P. Stacy, T.W. Nordeng, F.A. Culiáñez-Maciá and R.B. Aalen*

9 **Three 4-coumarate:coenzyme A ligases in *Arabidopsis thaliana* represent two evolutionarily divergent classes in angiosperms.** *J. Ehlting, D. Büttner, Q. Wang, C.J. Douglas, I.E. Somssich and E. Kombrink*

21 **Oxygen deprivation stimulates Ca^{2+}-mediated phosphorylation of mRNA cap-binding protein eIF4E in maize roots.** *S. Manjunath, A.J. Williams and J. Bailey-Serres*

31 **Expression analysis of two gene subfamilies encoding the plasma membrane H^+-ATPase in *Nicotiana plumbaginifolia* reveals the major transport functions of this enzyme.** *L. Moriau, B. Michelet, P. Bogaerts, L. Lambert, A. Michel, M. Oufattole and M. Boutry*

43 **Vacuolar processing enzyme is up-regulated in the lytic vacuoles of vegetative tissues during senescence and under various stressed conditions.** *T. Kinoshita, K. Yamada, N. Hiraiwa, M. Kondo, M. Nishimura and I. Hara-Nishimura*

55 **The *Pib* gene for rice blast resistance belongs to the nucleotide binding and leucine-rich repeat class of plant disease resistance genes.** *Z.-X. Wang, M. Yano, U. Yamanouchi, M. Iwamoto, L. Monna, H. Hayasaka, Y. Katayose and T. Sasaki*

65 **Gibberellin 2-oxidation and the *SLN* gene of *Pisum sativum*.** *D.R. Lester, J.J. Ross, J.J. Smith, R.C. Elliott and J.B. Reid*

75 SHORT COMMUNICATION
Emission of nitrous oxide (N_20) from transgenic tobacco expressing antisense NiR mRNA. *N. Goshima, T. Mukai, M. Suemori, M. Takahashi, M. Caboche and H. Morikawa*

81 SHORT COMMUNICATION
***Cymbidium hybrida* dihydroflavonol 4-reductase does not efficiently reduce dihydrokaempferol to produce orange pelargonidin-type anthocyanins.** *E.T. Johnson, H. Yi, B. Shin, B.-J. Oh, H. Cheong and G. Choi*

87 TECHNICAL ADVANCE
Transcriptional activator TGV mediates dexamethasone-inducible and tetracycline-inactivatable gene expression. *S. Böhner, I. Lenk, M. Rieping, M. Herold and C. Gatz*

97 TECHNICAL ADVANCE
Ecdysone agonist inducible transcription in transgenic tobacco plants. *A. Martinez, C. Sparks, C.A. Hart, J. Thompson and I. Jepson*

Number 2 July 1999

107 **Hormonal regulation of a cysteine proteinase gene, *EPB-1*, in barley aleurone layers: cis- and trans-acting elements involved in the co-ordinated gene expression regulated by gibberellins and abscisic acid.** *M. Cercós, A. Gómez-Cadenas and T.-H.D. Ho*

119 **Decreased expression of sucrose phosphate synthase strongly inhibits the water stress-induced synthesis of sucrose in growing potato tubers.** *P. Geigenberger, R. Reimholz, U. Deiting, U. Sonnewald and M. Stitt*

131 **Antisense inhibition of the GDP-mannose pyrophosphorylase reduces the ascorbate content in transgenic plants leading to developmental changes during senescence.** *R. Keller, F. Springer, A. Renz and J. Kossmann*

143 ***AtAMT1* gene expression and NH_4^+ uptake in roots of *Arabidopsis thaliana*: evidence for regulation by root glutamine levels.** *S.R. Rawat, S.N. Silim, H.J. Kronzucker, M.Y. Siddiqi and A.D.M. Glass*

153 **Suppression of pea nuclear topoisomerase I enzyme activity by pea PCNA.** *D.V. Hop, A. Gaikwad, B.S. Yadav, M.K. Reddy, S. Sopory and S.K. Mukherjee*

163 **Deficiency in phytoalexin production causes enhanced susceptibility of *Arabidopsis thaliana* to the fungus *Alternaria brassicicola*.** *B.P.H.J. Thomma, I. Nelissen, K. Eggermont and W.F. Broekaert*

173 **Transcription activation mediated by the bZIP factor SPA on the endosperm box is modulated by ESBF-1 *in vitro*.** *R.S. Conlan, M. Hammond-Kosack and M. Bevan*

183 **Flavonoid hydroxylase from *Catharanthus roseus*: cDNA, heterologous expression, enzyme properties and cell-type specific expression in plants.** *M. Kaltenbach, G. Schröder, E. Schmelzer, V. Lutz and J. Schröder*

195 SHORT COMMUNICATION
Cloning and expression of a cDNA encoding homospermidine synthase from *Senecio vulgaris* (Asteraceae) in *Escherichia coli*. *A. Kaiser*

203 SHORT COMMUNICATION
An apospory-specific genomic region is conserved between Buffelgrass (*Cenchrus ciliaris* L.) and *Pennisetum squamulatum* Fresen. *D. Roche, P. Cong, Z. Chen, W.W. Hanna, D.L. Gustine, R.T. Sherwood and P. Ozias-Akins*

209 TECHNICAL ADVANCE
Stable chloroplast transformation in potato: use of green fluorescent protein as a plastid marker. *V.A. Sidorov, D. Kasten, S.-Z. Pang, P.T.J. Hajdukiewicz, J.M. Staub and N.S. Nehra*

217 TECHNICAL ADVANCE
Differential extraction of hydrophobic proteins from chloroplast envelope membranes: a subcellular-specific proteomic approach to identify rare intrinsic membrane proteins. *D. Seigneurin-Berny, N. Rolland, J. Garin and J. Joyard*

229 TECHNICAL ADVANCE
Confocal measurement of the three-dimensional size and shape of plant parenchyma cells in a developing fruit tissue. *J.D. Gray, P. Kolesik, P.B. Høj and B.G. Coombe*

Number 3 August 1999

237 **Cloning and characterization of *PGA1* and *PGA2*: two G protein α-subunits from pea that promote growth in the yeast *Saccharomyces cerevisiae*.** *J.F. Marsh III and L.S. Kaufman*

249 ***Arabidopsis* ovule is the target for *Agrobacterium in planta* vacuum infiltration transformation.** *G.-N. Ye, D. Stone, S.-Z. Pang, W. Creely, K. Gonzalez and M. Hinchee*

259 ***CYP78A5* encodes a cytochrome P450 that marks the shoot apical meristem boundary in *Arabidopsis*.** *S.C. Zondlo and V.F. Irish*

269 **The AtSUC1 sucrose carrier may represent the osmotic driving force for anther dehiscence and pollen tube growth in *Arabidopsis*.** *R. Stadler, E. Truernit, M. Gahrtz and N. Sauer*

279 **The Arabidopsis blue light receptor cryptochrome 2 is a nuclear protein regulated by a blue light-dependent post-transcriptional mechanism.** *H. Guo, H. Duong, N. Ma and C. Lin*

289 **Nuclear localization of the Arabidopsis blue light receptor cryptochrome 2.** *O. Kleiner, S. Kircher, K. Harter and A. Batschauer*

297 **MAP kinase activation by hypoosmotic stress of tobacco cell suspensions: towards the oxidative burst response?** *A.-C. Cazalé, M.-J. Droillard, C. Wilson, E. Heberle-Bors, H. Barbier-Brygoo and C. Laurière*

309 **Dimerization and DNA binding of auxin response factors.** *T. Ulmasov, G. Hagen and T.J. Guilfoyle*

321 **Yariv reagent treatment induces programmed cell death in *Arabidopsis* cell cultures and implicates arabinogalactan protein involvement.** *M. Gao and A.M. Showalter*

333 ***In vivo* analysis of plastid *psbA*, *rbcL* and *rpl32* UTR elements by chloroplast transformation: tobacco plastid gene expression is controlled by modulation of transcript levels and translation efficiency.** *C. Eibl, Z. Zou, A. Beck, M. Kim, J. Mullet and H.-U. Koop*

347 SHORT COMMUNICATION
***Rhizobium* Nod factors induce increases in intracellular free calcium and extracellular calcium influxes in bean root hairs.** *L. Cárdenas, J.A. Feijó, J.G. Kunkel, F. Sánchez, T. Holdaway-Clarke, P.K. Hepler and C. Quinto*

353 TECHNICAL ADVANCE
A synthetic gene coding for the green fluorescent protein (GFP) is a versatile reporter in *Chlamydomonas reinhardtii*. *M. Fuhrmann, W. Oertel and P. Hegemann*

363 TECHNICAL ADVANCE
Accurate and high resolution *in situ* hybridization analysis of gene expression in secondary stem tissues. *S. Regan, V. Bourquin, H. Tuominen and B. Sundberg*

Number 4 August 1999

371 **Signaling from the embryo conditions *Vp1*-mediated repression of α-amylase genes in the aleurone of developing maize seeds.** *U. Hoecker, I.K. Vasil and D.R. McCarty*

379 **Uncoupling secretion and tip growth in lily pollen tubes: evidence for the role of calcium in exocytosis.** *S.J. Roy, T.L. Holdaway-Clarke, G.R. Hackett, J.G. Kunkel, E.M. Lord and P.K. Hepler*

387 **The *BANYULS* gene encodes a DFR-like protein and is a marker of early seed coat development.** *M. Devic, J. Guilleminot, I. Debeaujon, N. Bechtold, E. Bensaude, M. Koornneef, G. Pelletier and M. Delseny*

399 **Leaf C40.4: a carotenoid-associated protein involved in the modulation of photosynthetic efficiency?** *E. Monte, D. Ludevid and S. Prat*

411 **Diterpene synthesis in *Stevia rebaudiana*: recruitment and up-regulation of key enzymes from the gibberellin biosynthetic pathway.** *A.S. Richman, M. Gijzen, A.N. Starratt, Z. Yang and J.E. Brandle*

423 **Control of gluconeogenesis by isocitrate lyase in endosperm of germinating castor bean seedlings.** *M. Runquist and N.J. Kruger*

433 **Regulation of spinach SNF1-related (SnRK1) kinases by protein kinases and phosphatases is associated with phosphorylation of the T loop and is regulated by 5′-AMP.** *C. Sugden, R.M. Crawford, N.G. Halford and D.G. Hardie*

441 **Isolation and characterization of a flavonoid 3′-hydroxylase cDNA clone corresponding to the *Ht1* locus of *Petunia hybrida*.** *F. Brugliera, G. Barri-Rewell, T.A. Holton and J.G. Mason*

453 **K^+ channels of *Cf-9* transgenic tobacco guard cells as targets for *Cladosporium fulvum Avr9* elicitor-dependent signal transduction.** *M.R. Blatt, A. Grabov, J. Brearley, K. Hammond-Kosack and J.D.G. Jones*

463 **The *DIF1* gene of *Arabidopsis* is required for meiotic chromosome segregation and belongs to the *REC8/RAD21* cohesin gene family.** *A.M. Bhatt, C. Lister, T. Page, P. Fransz, K. Findlay, G.H. Jones, H.G. Dickinson and C. Dean*

473 **Some thaumatin-like proteins hydrolyse polymeric β-1,3-glucans.** *J. Grenier, C. Potvin, J. Trudel and A. Asselin*

481 SHORT COMMUNICATION
Maize calreticulin localizes preferentially to plasmodesmata in root apex. *F. Baluška, J. Šamaj, R. Napier and D. Volkmann*

489 SHORT COMMUNICATION
The *liguleless2* gene of maize functions during the transition from the vegetative to the reproductive shoot apex. *J. Walsh and M. Freeling*

Number 5 September 1999

497 **Profilin in *Phaseolus vulgaris* is encoded by two genes (only one expressed in root nodules) but multiple isoforms are generated *in vivo* by phosphorylation on tyrosine residues.** *G. Guillén, V. Valdés-López, R. Noguez, J. Olivares, L.C. Rodríguez-Zapata, H. Pérez, L. Vidali, M.A. Villanueva and F. Sánchez*

509 **Cloning and expression of a cDNA encoding betanidin 5-*O*-glucosyltransferase, a betanidin- and flavonoid-specific enzyme with high homology to inducible glucosyltransferases from the Solanaceae.** *T. Vogt, R. Grimm and D. Strack*

521 **5′ to 3′ exoribonucleolytic activity is a normal component of chloroplast mRNA decay pathways.** *R.G. Drager, D.C. Higgs, K.L. Kindle and D.B. Stern*

533 **Isolation of a novel SUMO protein from tomato that suppresses EIX-induced cell death.** *U. Hanania, N. Furman-Matarasso, M. Ron and A. Avni*

543 **Protein dynamics, activity and cellular localization of soybean lipoxygenases indicate distinct functional roles for individual isoforms.** *A.M. Fischer, W.E. Dubbs, R.A. Baker, M.A. Fuller, L.C. Stephenson and H.D. Grimes*

555 **Characterization of the unconventional myosin VIII in plant cells and its localization at the post-cytokinetic cell wall.** *S. Reichelt, A.E. Knight, T.P. Hodge, F. Baluska, J. Samaj, D. Volkmann and J. Kendrick-Jones*

569 ***HOS5* – a negative regulator of osmotic stress-induced gene expression in *Arabidopsis thaliana*.** *L. Xiong, M. Ishitani, H. Lee and J.-K. Zhu*

579 **A type 5 acid phosphatase gene from *Arabidopsis thaliana* is induced by phosphate starvation and by some other types of phosphate mobilising/oxidative stress conditions.** *J.C. del Pozo, I. Allona, V. Rubio, A. Leyva, A. de la Peña, C. Aragoncillo and J. Paz-Ares*

591 SHORT COMMUNICATION
***Hairpin* elements, the first family of foldback transposons (FTs) in *Arabidopsis thaliana*.** *J. Adé and F. J. Belzile*

599 SHORT COMMUNICATION
The pre-vacuolar t-SNARE AtPEP12p forms a 20S complex that dissociates in the presence of ATP. *D.C. Bassham and N.V. Raikhel*

605 TECHNICAL ADVANCE
***Ac* as a tool for the functional genomics of rice.** *H. Enoki, T. Izawa, M. Kawahara, M. Komatsu, S. Koh, J. Kyozuka and K. Shimamoto*

615 TECHNICAL ADVANCE
Molecular analysis of rice plants harboring an *Ac/Ds* transposable element-mediated gene trapping system. *H.G. Chin, M.S. Choe, S.-H. Lee, S.H. Park, S.H. Park, J.C. Koo, N.Y. Kim, J.J. Lee, B.G. Oh, G.H. Yi, S.C. Kim, H.C. Choi, M.J. Cho and C.-d. Han*

Number 6 September 1999

625 **PR-1 protein inhibits the differentiation of rust infection hyphae in leaves of acquired resistant broad bean.** *M. Rauscher, A.L. Adám, S. Wirtz, R. Guggenheim, K. Mendgen and H.B. Deising*

635 **Inter-organellar crosstalk in higher plants: impaired chloroplast development affects mitochondrial gene and transcript levels.** *B. Hedtke, I. Wagner, T. Börner and W.R. Hess*

645 **The *Arabidopsis thaliana TAG1* mutant has a mutation in a diacylglycerol acyltransferase gene.** *J. Zou, Y. Wei, C. Jako, A. Kumar, G. Selvaraj and D.C. Taylor*

655 **Cell-cycle modulation of CK2 activity in tobacco BY-2 cells.** *M.C. Espunya, B. Combettes, J. Dot, N. Chaubet-Gigot and M.C. Martínez*

667 **The auxin, hydrogen peroxide and salicylic acid induced expression of the Arabidopsis *GST6* promoter is mediated in part by an ocs element.** *W. Chen and K.B. Singh*

679 **ACGT-containing abscisic acid response element (ABRE) and coupling element 3 (CE3) are functionally equivalent.** *T. Hobo, M. Asada, Y. Kowyama and T. Hattori*

691 **Molecular characterisation of a membrane-bound galactosyltransferase of plant cell wall matrix polysaccharide biosynthesis.** *M.E. Edwards, C.A. Dickson, S. Chengappa, C. Sidebottom, M.J. Gidley and J.S.G. Reid*

699 **A family of antimicrobial peptides is produced by processing of a 7S globulin protein in *Macadamia integrifolia* kernels.** *J.P. Marcus, J.L. Green, K.C. Goulter and J.M. Manners*

711 TECHNICAL ADVANCE
Rapid isolation of plant Ty1-*copia* group retrotransposon LTR sequences for molecular marker studies. *S.R. Pearce, C. Stuart-Rogers, M.R. Knox, A. Kumar, T.H.N Ellis and A.J. Flavell*

719 TECHNICAL ADVANCE
Negative selection systems for transgenic barley (*Hordeum vulgare* L.): comparison of bacterial *cod*A- and cytochrome *P450* gene-mediated selection. *T. Koprek, D. McElroy, J. Louwerse, R. Williams-Carrier and P.G. Lemaux*

727 TECHNICAL ADVANCE
A simple method to enrich an *Agrobacterium*-transformed population for plants containing only T-DNA sequences. *B. Hanson, D. Engler, Y. Moy, B. Newman, E. Ralston and N. Gutterson*

735 TECHNICAL ADVANCE
Cameleon calcium indicator reports cytoplasmic calcium dynamics in *Arabidopsis* guard cells. *G.J. Allen, J.M. Kwak, S.P. Chu, J. Llopis, R.Y. Tsien, J.F. Harper and J.I. Schroeder*

749 **Author Index**

755 **Subject Index**